

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Web History](#) | [Search settings](#) | [Sign in](#)



[Advanced Search](#)
[Web](#) [Show options...](#)
Results **1 - 30** of about **139,00**

### SAP GUI Scripting and GuiXT

6 Example: Selecting a fixed row in a grid **control**. In IW38 you want to select a certain row, say the third row. First **record** the **action** in SAP **GUI**: ...

[www.synactive.com/docu\\_e/specials/guiscripting.html](http://www.synactive.com/docu_e/specials/guiscripting.html) - [Cached](#) - [Similar](#)

#### [PDF] SAP GUI Scripting User Guide

File Format: PDF/Adobe Acrobat

To allow the user to **control** the execution of scripts SAP **GUI** for Java defines global event .... This means that you can **record** all user **actions** in SAP ...

[www.synactive.com/.../sap%20gui%20scripting/sap%20gui%20scripting%20userguide.pdf](http://www.synactive.com/.../sap%20gui%20scripting/sap%20gui%20scripting%20userguide.pdf)  
- [Similar](#)

[Show more results from www.synactive.com](#)

### [PDF] Record and playback at the GUI level can often create more ...

File Format: PDF/Adobe Acrobat - [Quick View](#)

by M SILVERSTEIN - [Cited by 1](#) - [Related articles](#)

**record** tests, just as he would with a GUI capture tool. The .... Application code. **GUI controls**. GUI **action** code. Application ...

[www.silvermark.com/Library/.../sqe\\_logical\\_capture\\_replay.pdf](http://www.silvermark.com/Library/.../sqe_logical_capture_replay.pdf) - [Similar](#)

### Bugslayer: GUI Control to Major Tom

For an example of using the eventing **controls** to **record** an application's usage, ... for the **control**, the pattern will do the work of performing that **action**. ...

[msdn.microsoft.com/en-us/magazine/cc163465.aspx](http://msdn.microsoft.com/en-us/magazine/cc163465.aspx) - [Cached](#) - [Similar](#)

### Record & replay user actions, mouse movements, keyboard inputs ...

**Record** & Replay mouse and keyboard **actions**, generate C++, C# or Python code with the Ranorex Recorder. ... **UI** Testing with .NET and Visual Studio ... Ranorex Recorder on Windows Vista: UAC (User Account **Control**) has to be turned off. ...

[www.ranorex.com/gui...guide/record-user-actions-mouse-movements-keyboard-inputs.html](http://www.ranorex.com/gui...guide/record-user-actions-mouse-movements-keyboard-inputs.html) - [Cached](#) - [Similar](#)

### GUI Table Appearance Control Properties

In the order of appearance, odd **records** display the table color and even **records** .... **action** modifies the width of the columns on both sides of the divider. ...

[devnet.magicsoftware.com/en/library?book.../GUI...Control...](http://devnet.magicsoftware.com/en/library?book.../GUI...Control...) - [Cached](#)

### [PDF] A Modular Control Package for Automation of Indus-2 Low ...

File Format: PDF/Adobe Acrobat - [Quick View](#)

by R Yadav

**GUI** can be opened on remote PCs for remote operation of the Plant from main **control** ... and finds out the **control action** from **control** configuration file and lists out ... purpose as well as for tracing the **action record** in the initial ...

[accelconf.web.cern.ch/accelconf/ica05/proceedings/pdf/P3\\_098.pdf](http://accelconf.web.cern.ch/accelconf/ica05/proceedings/pdf/P3_098.pdf)

### An Introduction to Using TPTP's Automated GUI Recorder

This tool allows users to **record GUI actions** in the Eclipse platform and play them ....

Terminate the test case: Click the termination button of the **control** ...

[www.eclipse.org/tptp/test/.../userguides/Intro-Auto-GUI.html](http://www.eclipse.org/tptp/test/.../userguides/Intro-Auto-GUI.html) - [Cached](#) - [Similar](#)

### The Design of Software - Which GUI control for mass update on ...

Jun 17, 2008 ... Which **GUI control** for mass update on large table? ... "mass **action**" controls would be needed to do that. Nothing complicated here, yet I am ...

[discuss.techinterview.org/default.asp?design.4.642475.8](http://discuss.techinterview.org/default.asp?design.4.642475.8) - [Cached](#)

### Software Testing FAQ: GUI Test Drivers

Once you **record** your **actions** for testing, you can play them back at the .... Use our software automation tool to **control** your Windows **GUI** Applications. ...

[www.testingfaqs.org/t-gui.html](http://www.testingfaqs.org/t-gui.html) - [Cached](#) - [Similar](#)

### UI Control Browser - QAliber

Mar 17, 2010 ... While recording **GUI actions** will get you half way, using the UI **Control** ...

The **control** contains: **Record** and Stop button (1) – For creating ...

[www.qaliber.net/Wiki/index.php?title=UI\\_Control\\_Browser](http://www.qaliber.net/Wiki/index.php?title=UI_Control_Browser) - [Cached](#)

### Android » Custom GUI Control (CGC)

Custom **GUI Control** (CGC). February 25th, 2009. I am currently working on the CGC. my major goal is to show the **records** in table format where user can select ...

[www.android.pk/blog/easy-stocks/customize-gui-control/](http://www.android.pk/blog/easy-stocks/customize-gui-control/) - [Cached](#) - [Similar](#)

### [PDF] Java GUI Testing Tools

File Format: PDF/Adobe Acrobat - [Quick View](#)

**records**", which are usually definable as a script comprising more granular **actions**. ... That means exposing any **action** that the user can make (clicking ... among other things to actually **control GUI** components. The developers have ...

[tejasconsulting.com/open-testware/contrib/JavaGUITesting.pdf](http://tejasconsulting.com/open-testware/contrib/JavaGUITesting.pdf) - [Similar](#)

### GUI Automation - Challenges and solutions

Windows task recorder: Simply click '**Record**' to **record** your testing process. ... Click Edit;

Go to the task **action** that specifies Keystroke **Ctrl+C action**. ...

[www.tethyssolutions.com/gui\\_automation.htm](http://www.tethyssolutions.com/gui_automation.htm) - [Cached](#) - [Similar](#)

### Effective GUI test automation: developing an automated GUI testing ... - Google Books Result

Kanglin Li, Mengqi Wu - 2004 - Computers - 445 pages

Each of the **actions** taken on a **GUI control** invokes a set of internal functions of ... test script languages and ask testers to write or **record** test scripts. ...

[books.google.com/books?isbn=0782143512...](http://books.google.com/books?isbn=0782143512...)

### Action Commands

**Action** - set state of a CheckBox **control** to jsx3.gui.CheckBox.PARTIAL ... **Action** -

double click a tree item with given tree jsxname and **record** jsxid. ...

[developer.tibco.com/.../gitak\\_action\\_commands.html](http://developer.tibco.com/.../gitak_action_commands.html) - [Cached](#) - [Similar](#)

### Use a Microsoft Access Combo Box to Search for a Record | Database ...

**GUI Design**. **GUI Design Examples** · Submit Your Examples ... The AfterUpdate event occurs after changed data in a **control** or **record** is updated. ... The FindRecord method executes the FindRecord **action**, which will find the first **record** ...

[www.databasedev.co.uk/combo\\_box\\_search.html](http://www.databasedev.co.uk/combo_box_search.html) - [Cached](#) - [Similar](#)

### Grails Plugin - GrailsUI Plugin

**<gui:dialog** form="true" **controller**="demo" **action**="confirmSomething" .... This specifies a template the Paginator to use, and also adds total **records**. ...

[grails.org/plugin/grails-ui](http://grails.org/plugin/grails-ui) - [Cached](#)

### Comparison of revision control software - Wikipedia, the free ...

Git itself is not internationalized, just git-**gui** and gitk (both are shipped with git). ^ Its possible to embed the **action** in a shell or Ant script. ...

[en.wikipedia.org/.../Comparison\\_of\\_revision\\_control\\_software](http://en.wikipedia.org/.../Comparison_of_revision_control_software) - [Cached](#) - [Similar](#)

### IBM - Known limitations of Robot GUI against IE7 browsers

In the **recorded** script manually type ListBox **action**%, recMethod\$, parameters\$ For example, ... Inspector tool does not recognizes the Tab **Control** in IE7 ...

[www-01.ibm.com/support/docview.wss?uid=swg21267393](http://www-01.ibm.com/support/docview.wss?uid=swg21267393) - [Cached](#) - [Similar](#)

### Overview (Abbot Documentation)

You can launch a **GUI**, invoke arbitrary user **actions** on it, and examine its state. .... testing your **GUI** components. Scripted **control** of **actions** and inspection ... The Costello editor can automatically **record** a sequence of user **actions** ...

[abbot.sourceforge.net/doc/api/overview-summary.html](http://abbot.sourceforge.net/doc/api/overview-summary.html) - [Cached](#) - [Similar](#)

### GUI separate from the backend code

Jun 13, 2004 ... For the **record**, "**action**" is a command I wrote which is mostly just ... (hard coded) between the **Gui** (view) and the Core (Model/**Controller**). ...  
[wiki.tol.tk/9658](#) - [Cached](#)

### Driving or Automating GUI Applications - CodeProject

To use this method, you would use a **GUI** component/**control** spy tool ... the **GUI** controls like the keypad, Flash button, **record** button, etc. ...  
[www.codeproject.com](#) > ... > Testing and Quality Assurance - [Cached](#) - [Similar](#)

### Steps for Building a GUI using Event Driven Design

Oct 5, 2007 ... Use the **GUI** Design Template to **record** the **GUI** objects, ... The **GUI action** describes the steps the user would perform in the **GUI** window to exercise ... For this reason, the **GUI** event driven **control** model sometimes appears ...  
[it.toolbox.com/.../steps-for-building-a-gui-using-event-driven-design-19528](#) - [Cached](#) - [Similar](#)

### Emergency Control Base

The Fault **Record** is stored in the IED and a notification that the **record** exists is provided and ... The System Operator takes **action** to address the alarm. ... If the operator has sent a **control** the **GUI** must format the **control** into an ...  
[intelligrid.ipower.com/.../TO\\_Emergency\\_Control\\_Baseline.htm](#) - [Cached](#) - [Similar](#)

### 32.1. msilib — Read and write Microsoft Installer files — Python ...

The database will contain just the schema and the validation **records** when this .... msilib provides several classes that wrap the **GUI** tables in an MSI database. ... Base class of the dialog **controls**. dlg is the dialog object the **control** ... for the UIText and ActionText tables, for the standard installer **actions**. ...  
[docs.python.org](#) > ... > 32. MS Windows Specific Services - [Cached](#)

### Sample Apps & Demos - General Interface Learning Center - General ...

Nov 3, 2009 ... In this use case, we imagine a server that can page 500 **record** data sets from a ... This sample application demonstrates drag and drop between **GUI** ... example of mapping repeating elements to a jsx3.**gui**.Matrix **control**. ...  
[www.generalinterface.org/docs/pages/viewpage.action?...](#) - [Cached](#) - [Similar](#)

### [PDF] Microsoft PowerPoint - IBM Rational Functional Tester

File Format: PDF/Adobe Acrobat - [Quick View](#)  
 Apr 11, 2006 ... When an OM is created in the sequence of a **Record Action**, it only ... Check results of executed steps by analyzing **GUI control's**: ...  
[paginas.fe.up.pt/~jpf/teach/.../IBMRationalFunctionalTester.pdf](#) - [Similar](#)

### Reverse Engineered Formal Models for GUI Testing\*

by ACR Paiva - 2008 - [Cited by 1](#) - [Related articles](#)  
 The GUI **Record** tool captures the **actions** performed by the user, ... technique is the ability to recognize a wide range of **GUI controls**, beyond native ...  
[www.springerlink.com/index/82g9076436973k6v.pdf](#)

### Article - How To Use Automation Anywhere's GUI Automation Capability

Nov 11, 2008 ... Application **GUI** has standard **controls**, custom **controls** and image **controls**. ... Windows task recorder: Simply click '**Record**' to **record** your ... Click Edit; Go to the task **action** that specifies Keystroke **Ctrl+C action**. ...  
[www.tucows.com](#) > Solutions > More > How To ... - [Cached](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Go](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Go](#)